

FLEXISCOPE 2 and 3 Probes and Protection Tubes

PROBES AND PROTECTION TUBES FOR FLEXISCOPE 2 AND FLEXISCOPE 3 SYSTEMS, Ø 0.7 MM AND 1.0 MM



Item number	Working Ø	Working length	Direction of view	Field of view	Image bundle (pixel)	Description
96.0103s	0.7 mm	150 mm	0°	70°	6,000	Synthetic tube
96.0124s	1.0 mm	150 mm	0°	60°	17,000	Nickel titan tube
MSP.10150	1.0 mm	150 mm	-	-	-	Protection tube for 96.0103s
MSP.12150	1.2 mm	150 mm	-	-	-	Protection tube for 96.0124s

PROBES AND PROTECTION TUBES FOR FLEXISCOPE 2 AND FLEXISCOPE 3 SYSTEMS, Ø 1.6 MM



Item number	Working Ø	Working length	Direction of view	Field of view	Image bundle (pixel)	Description
96.0142s	1.6 mm	100 mm	0°	85°	30,000	Nickel titan tube
96.0132s	1.6 mm	135 mm	0°	85°	30,000	Nickel titan tube
96.0123s	1.6 mm	150 mm	0°	70°	17,000	Synthetic tube
96.0165s	1.6 mm	135 mm	0°	30°	17,000	Stainless steel tube
96.0166s	1.6 mm	150 mm	30°	75°	17,000	Synthetic tube
96.0167s	1.6 mm	150 mm	70°	75°	17,000	Synthetic tube
96.0168s	1.6 mm	150 mm	90°	75°	17,000	Synthetic tube
MSP.18100	1.8 mm	100 mm	-	-	-	Protection tube for 96.0142s
MSP.18135	1.8 mm	135 mm	-	-	-	Protection tube for 96.0132s
MSP.19150	1.9 mm	150 mm	-	-	-	Protection tube for 96.0123s

Probes in other lengths, diameters or materials will be verified on request.

FLEXISCOPE 2 and 3 Probes and Protection Tubes

PROBES AND PROTECTION TUBES FOR FLEXISCOPE 2 AND FLEXISCOPE 3 SYSTEMS, Ø 2.0 MM



Item number	Working Ø	Working length	Direction of view	Field of view	Image bundle (pixel)	Description
96.0134s	2.0 mm	135 mm	0°	85°	30,000	Stainless steel tube
96.0158s	2.0 mm	135 mm	0°	90°	50,000	Stainless steel tube
96.0152s	2.0 mm	135 mm	30°	90°	50,000	Stainless steel tube
96.0172s	2.0 mm	135 mm	70°	75°	30,000	Stainless steel tube
96.0173s	2.0 mm	135 mm	90°	75°	30,000	Stainless steel tube
MSP.24135	2.4 mm	135 mm	-	-	-	Protection tube for 96.0134s and 96.0158s
MSP.24132	2.4 mm	132 mm	-	-	-	Protection tube for 96.0152s (exposed probe tip)

Probes in other lengths, diameters or materials will be verified on request.

FLEXISCOPE 2 and 3 Probes and Protection Tubes

PROBES AND PROTECTION TUBES FOR FLEXISCOPE 2 AND FLEXISCOPE 3 SYSTEMS, Ø 2.7 MM



Item number	Working Ø	Working length	Direction of view	Field of view	Description
96.0274s	2.7 mm	110 mm	0°	75°	Rod lenses/stainless steel tube
96.0273s	2.7 mm	110 mm	30°	75°	Rod lenses/stainless steel tube
96.0280s	2.7 mm	110 mm	30°	75°	Rod lenses/stainless steel tube direction of view 180° turned to 96.0273s
96.0275s	2.7 mm	110 mm	70°	75°	Rod lenses/stainless steel tube
96.0288s	2.7 mm	179 mm	0°	85°	Rod lenses/stainless steel tube
96.0297s	2.7 mm	179 mm	30°	85°	Rod lenses/stainless steel tube
96.0299s	2.7 mm	179 mm	70°	75°	Rod lenses/stainless steel tube
96.0293s	2.7 mm	290 mm	0°	75°	Rod lenses/stainless steel tube
96.0294s	2.7 mm	280 mm	30°	75°	Rod lenses/stainless steel tube
96.0298s	2.7 mm	290 mm	70°	75°	Rod lenses/stainless steel tube
MSP.30110	3.0 mm	100 mm	-	-	Protection tube for 96.0273s, 96.0275s, 96.0280s (exposed probe tip)
MSP.30118	3.0 mm	105 mm	-	-	Protection tube for 96.0273s, 96.0280s 0.1 mm protrusion with fixing screw
MSP.30111	3.0 mm	111 mm	-	-	Protection tube for 96.0274s 0.5 mm protrusion
MSP.30172	3.0 mm	172 mm	-	-	Protection tube for 96.0297s (exposed probe tip)
MSP.30174	3.0 mm	174 mm	-	-	Protection tube for 96.0288s 0.5 mm protrusion
MSP.30280.1	3.0 mm	293 mm	-	-	Protection tube for 96.0298s 3 mm protrusion with fixing screw

Probes in other lengths, diameters or materials will be verified on request.

FLEXISCOPE 2 and 3 Probes and Protection Tubes

PROBES AND PROTECTION TUBES FOR FLEXISCOPE 2 AND FLEXISCOPE 3 SYSTEMS, Ø 4.0 MM



Probe 96.0403s, direction of view 30°

Item number	Working Ø	Working length	Direction of view	Field of view	Description
96.0405s	4.0 mm	170 mm	0°	85°	Rod lenses/stainless steel tube
96.0403s	4.0 mm	170 mm	30°	85°	Rod lenses/stainless steel tube
96.0404s	4.0 mm	170 mm	45°	85°	Rod lenses/stainless steel tube
96.0406s	4.0 mm	170 mm	70°	85°	Rod lenses/stainless steel tube
96.0407s	4.0 mm	298 mm	0°	70°	Rod lenses/stainless steel tube
96.0408s	4.0 mm	298 mm	30°	70°	Rod lenses/stainless steel tube
96.0409s	4.0 mm	300 mm	65°	70°	Rod lenses/stainless steel tube
96.0410s	4.0 mm	425 mm	45°	65°	Rod lenses/stainless steel tube

Probes in other lengths, diameters or materials will be verified on request.